



Reduced tee 90° long spigot

Te 90° reducida mango largo


té réduit 90° embout long

T-Stück 90° reduziert, lange Schweißenden

Manufactured by molding - Fabricado mediante molde

Fabriqué par moulage - Produziert mit Spritzgußverfahren

SDR17 PN10



| dn | dn1 | code | H [mm] | H1 [mm] | Z [mm] | Weight [kg] |
|-----|-----|------------|--------|---------|--------|-------------|
| 90 | 50 | TRP090050B | 83 | 57 | 306 | 0,60 |
| 90 | 63 | TRP090063B | 83 | 69 | 306 | 0,70 |
| 110 | 50 | TRP110050B | 91 | 57 | 338 | 1,03 |
| 110 | 63 | TRP110063B | 91 | 71 | 338 | 1,10 |
| 110 | 90 | TRP110090B | 91 | 83 | 338 | 1,20 |
| 125 | 63 | TRP125063B | 91 | 71 | 359 | 1,38 |
| 125 | 90 | TRP125090B | 91 | 83 | 359 | 1,40 |
| 140 | 63 | TRP140063B | 97 | 73 | 390 | 1,87 |
| 140 | 90 | TRP140090B | 97 | 85 | 390 | 2,00 |
| 160 | 63 | TRP160063B | 105 | 71 | 425 | 2,60 |
| 160 | 90 | TRP160090B | 105 | 83 | 425 | 2,69 |
| 160 | 110 | TRP160110B | 105 | 91 | 425 | 2,75 |
| 160 | 125 | TRP160125B | 105 | 92 | 425 | 2,90 |
| 180 | 63 | TRP180063B | 108 | 65 | 425 | 4,36 |
| 180 | 90 | TRP180090B | 108 | 84 | 451 | 3,70 |
| 180 | 110 | TRP180110B | 108 | 89 | 451 | 4,45 |
| 180 | 125 | TRP180125B | 108 | 91 | 451 | 3,78 |
| 200 | 63 | TRP200063B | 118 | 85 | 503 | 4,70 |
| 200 | 90 | TRP200090B | 118 | 85 | 503 | 4,54 |
| 200 | 110 | TRP200110B | 118 | 91 | 503 | 4,62 |
| 200 | 125 | TRP200125B | 118 | 94 | 503 | 6,18 |
| 200 | 160 | TRP200160B | 118 | 105 | 503 | 4,90 |
| 200 | 180 | TRP200180B | 118 | 112 | 503 | 6,30 |
| 225 | 90 | TRP225090B | 121 | 84 | 540 | 6,48 |
| 225 | 110 | TRP225110B | 121 | 89 | 540 | 6,52 |
| 225 | 125 | TRP225125B | 121 | 94 | 540 | 6,80 |
| 225 | 160 | TRP225160B | 121 | 105 | 540 | 6,80 |
| 225 | 180 | TRP225180B | 121 | 108 | 540 | 7,00 |
| 250 | 110 | TRP250110B | 132 | 92 | 596 | 9,80 |
| 250 | 125 | TRP250125B | 132 | 109 | 596 | 9,60 |
| 250 | 160 | TRP250160B | 132 | 105 | 596 | 10,70 |
| 250 | 180 | TRP250180B | 132 | 106 | 596 | 10,30 |
| 250 | 200 | TRP250200B | 132 | 117 | 596 | 12,20 |
| 280 | 110 | TRP280110B | 142 | 91 | 685 | 13,00 |
| 280 | 225 | TRP280225B | 142 | 120 | 685 | 13,50 |
| 315 | 110 | TRP315110B | 152 | 91 | 704 | 17,80 |
| 315 | 125 | TRP315125B | 152 | 96 | 704 | 18,70 |
| 315 | 160 | TRP315160B | 152 | 105 | 704 | 17,80 |
| 315 | 180 | TRP315180B | 152 | 108 | 704 | 18,30 |
| 315 | 200 | TRP315200B | 152 | 120 | 704 | 18,30 |
| 315 | 225 | TRP315225B | 152 | 121 | 704 | 18,30 |

See next page
Lisez la page suivante

Leer la página siguiente
Siehe nächste Seite

Injection moulded
Inyectados
Injectés
Formingspritz




Reduced tee 90° long spigot

Te 90° reducida mango largo
 té réduit 90° embout long
 T-Stück 90° reduziert, lange Schweißenden

Manufactured by molding - Fabricado mediante moldeo
 Fabriqué par moulage - Produziert mit Spritzgußverfahren

SDR17 PN10



| dn | dn1 | code | H [mm] | H1 [mm] | Z [mm] | Weight [kg] |
|-----|-----|------------|--------|---------|--------|-------------|
| 355 | 110 | TRP355110B | 176 | 89 | 687 | 20,65 |
| 355 | 160 | TRP355160B | 176 | 100 | 687 | 20,40 |
| 355 | 200 | TRP355200B | 176 | 118 | 687 | 21,80 |
| 355 | 225 | TRP355225B | 176 | 125 | 687 | 21,25 |
| 355 | 250 | TRP355250B | 176 | 130 | 687 | 22,40 |
| 400 | 110 | TRP400110B | 190 | 88 | 750 | 29,20 |
| 400 | 160 | TRP400160B | 190 | 100 | 750 | 29,60 |
| 400 | 225 | TRP400225B | 190 | 125 | 750 | 29,40 |
| 450 | 160 | TRP450160B | 200 | 101 | 670 | 32,40 |
| 450 | 225 | TRP450225B | 200 | 125 | 795 | 39,80 |
| 450 | 315 | TRP450315B | 200 | 155 | 890 | 48,60 |
| 500 | 160 | TRP500160B | 218 | 100 | 720 | 41,40 |
| 500 | 250 | TRP500250B | 218 | 135 | 810 | 48,80 |
| 500 | 315 | TRP500315B | 218 | 162 | 925 | 58,20 |
| 560 | 250 | TRP560250B | 240 | 135 | 965 | 69,80 |
| 630 | 160 | TRP630160B | 255 | 100 | 800 | 68,20 |
| 630 | 250 | TRP630250B | 255 | 136 | 880 | 75,80 |
| 630 | 315 | TRP630315B | 255 | 157 | 1000 | 92,00 |




Reduced tee 90° long spigot

Te 90° reducida mango largo
 té réduit 90° embout long
 T-Stück 90° reduziert, lange Schweißenden

Manufactured by molding - Fabricado mediante moldeo
 Fabriqué par moulage - Produziert mit Spritzgußverfahren

SDR11 PN16



| dn | dn1 | code | H [mm] | H1 [mm] | Z [mm] | Weight [kg] |
|-----|-----|------------|--------|---------|--------|-------------|
| 90 | 50 | TRP090050C | 83 | 57 | 306 | 0,85 |
| 90 | 63 | TRP090063C | 83 | 69 | 306 | 1,00 |
| 110 | 50 | TRP110050C | 91 | 57 | 338 | 1,40 |
| 110 | 63 | TRP110063C | 91 | 71 | 338 | 1,40 |
| 110 | 90 | TRP110090C | 91 | 83 | 338 | 1,50 |
| 125 | 63 | TRP125063C | 91 | 71 | 359 | 1,80 |
| 125 | 90 | TRP125090C | 91 | 83 | 359 | 1,98 |
| 140 | 63 | TRP140063C | 97 | 73 | 390 | 2,50 |
| 140 | 90 | TRP140090C | 97 | 85 | 390 | 2,70 |
| 160 | 63 | TRP160063C | 105 | 71 | 425 | 3,60 |
| 160 | 90 | TRP160090C | 105 | 83 | 425 | 3,57 |
| 160 | 110 | TRP160110C | 105 | 91 | 425 | 3,72 |
| 160 | 125 | TRP160125C | 105 | 92 | 425 | 3,82 |
| 180 | 63 | TRP180063C | 108 | 65 | 451 | 4,63 |
| 180 | 90 | TRP180090C | 108 | 84 | 451 | 4,80 |
| 180 | 110 | TRP180110C | 108 | 89 | 451 | 4,85 |
| 180 | 125 | TRP180125C | 108 | 91 | 451 | 5,10 |
| 200 | 63 | TRP200063C | 118 | 85 | 503 | 6,19 |
| 200 | 90 | TRP200090C | 118 | 85 | 503 | 6,32 |
| 200 | 110 | TRP200110C | 118 | 91 | 503 | 6,40 |
| 200 | 125 | TRP200125C | 118 | 94 | 503 | 6,52 |
| 200 | 160 | TRP200160C | 118 | 105 | 503 | 6,85 |
| 200 | 180 | TRP200180C | 118 | 112 | 503 | 6,60 |
| 225 | 90 | TRP225090C | 121 | 84 | 540 | 9,04 |
| 225 | 110 | TRP225110C | 121 | 89 | 540 | 9,12 |
| 225 | 125 | TRP225125C | 121 | 94 | 540 | 9,20 |
| 225 | 160 | TRP225160C | 121 | 105 | 540 | 9,60 |
| 225 | 180 | TRP225180C | 121 | 105 | 540 | 9,60 |
| 250 | 110 | TRP250110C | 132 | 92 | 596 | 12,40 |
| 250 | 125 | TRP250125C | 132 | 109 | 596 | 12,40 |
| 250 | 160 | TRP250160C | 132 | 105 | 596 | 12,90 |
| 250 | 180 | TRP250180C | 132 | 106 | 596 | 13,20 |
| 250 | 200 | TRP250200C | 132 | 117 | 596 | 13,40 |
| 280 | 110 | TRP280110C | 142 | 91 | 685 | 18,00 |
| 280 | 225 | TRP280225C | 142 | 120 | 683 | 18,50 |

See next page
 Lisez la page suivante

Leer la página siguiente
 Siehe nächste Seite

Injection moulded
 Inyectados
 Injectés
 Formgespritzt




Reduced tee 90° long spigot

Te 90° reducida mango largo
 té réduit 90° embout long
 T-Stück 90° reduziert, lange Schweißenden


Manufactured by molding - Fabricado mediante moldeo
 Fabriqué par moulage - Produziert mit Spritzgußverfahren

SDR11 PN16



| dn | dn1 | code | H [mm] | H1 [mm] | Z [mm] | Weight [kg] |
|-----|-----|------------|--------|---------|--------|-------------|
| 315 | 110 | TRP315110C | 152 | 91 | 704 | 23,90 |
| 315 | 125 | TRP315125C | 152 | 96 | 704 | 24,50 |
| 315 | 160 | TRP315160C | 152 | 105 | 704 | 24,40 |
| 315 | 180 | TRP315180C | 152 | 108 | 704 | 24,80 |
| 315 | 200 | TRP315200C | 152 | 120 | 704 | 24,80 |
| 315 | 225 | TRP315225C | 152 | 121 | 704 | 25,00 |
| 355 | 110 | TRP355110C | 176 | 89 | 687 | 28,40 |
| 355 | 160 | TRP355160C | 176 | 100 | 687 | 28,40 |
| 355 | 200 | TRP355200C | 176 | 118 | 687 | 29,40 |
| 355 | 225 | TRP355225C | 176 | 125 | 687 | 29,00 |
| 355 | 250 | TRP355250C | 176 | 130 | 687 | 31,20 |
| 400 | 110 | TRP400110C | 190 | 88 | 750 | 39,00 |
| 400 | 160 | TRP400160C | 190 | 100 | 750 | 38,80 |
| 400 | 225 | TRP400225C | 190 | 125 | 750 | 39,60 |
| 450 | 160 | TRP450160C | 200 | 101 | 670 | 42,40 |
| 450 | 225 | TRP450225C | 200 | 125 | 795 | 52,80 |
| 450 | 315 | TRP450315C | 200 | 155 | 890 | 63,40 |
| 500 | 160 | TRP500160C | 218 | 100 | 720 | 55,40 |
| 500 | 250 | TRP500250C | 218 | 135 | 810 | 64,60 |
| 500 | 315 | TRP500315C | 218 | 162 | 925 | 78,40 |
| 560 | 250 | TRP560250C | 240 | 135 | 965 | 96,80 |
| 630 | 160 | TRP630160C | 255 | 100 | 800 | 95,00 |
| 630 | 250 | TRP630250C | 255 | 136 | 880 | 104,00 |
| 630 | 315 | TRP630315C | 255 | 157 | 1000 | 124,60 |

SDR9 PN20



| dn | dn1 | code | H [mm] | H1 [mm] | Z [mm] | Weight [kg] |
|-----|-----|------------|--------|---------|--------|-------------|
| 110 | 63 | TRP110063G | 91 | 71 | 338 | 1,50 |
| 110 | 90 | TRP110090G | 91 | 82 | 337 | 1,70 |
| 125 | 63 | TRP125063G | 91 | 70 | 356 | 2,10 |
| 125 | 90 | TRP125090G | 91 | 83 | 359 | 2,20 |
| 140 | 63 | TRP140063G | 97 | 73 | 390 | 3,20 |
| 160 | 110 | TRP160110G | 105 | 91 | 425 | 4,70 |
| 200 | 110 | TRP200110G | 118 | 91 | 503 | 7,80 |
| 225 | 110 | TRP225110G | 121 | 89 | 540 | 11,10 |
| 225 | 160 | TRP225160G | 121 | 105 | 540 | 11,60 |
| 250 | 110 | TRP250110G | 132 | 92 | 596 | 14,40 |
| 250 | 160 | TRP250160G | 132 | 105 | 596 | 15,20 |
| 250 | 200 | TRP250200G | 132 | 117 | 596 | 15,70 |
| 280 | 110 | TRP280110G | 142 | 91 | 685 | 20,60 |
| 280 | 225 | TRP280225G | 142 | 120 | 683 | 22,60 |

See next page
 Lisez la page suivante

Leer la página siguiente
 Siehe nächste Seite



Reduced tee 90° long spigot

Te 90° reducida mango largo


té réduit 90° embout long

T-Stück 90° reduziert, lange Schweißenden


Manufactured by molding - Fabricado mediante molde

Fabriqué par moulage - Produziert mit Spritzgußverfahren

SDR9 PN20



SDR7,4 PN25



| dn | dn1 | code | H [mm] | H1 [mm] | Z [mm] | Weight [kg] |
|-----|-----|------------|--------|---------|--------|-------------|
| 315 | 110 | TRP315110G | 152 | 91 | 704 | 28,70 |
| 315 | 160 | TRP315160G | 152 | 105 | 704 | 28,90 |
| 315 | 200 | TRP315200G | 152 | 120 | 704 | 29,40 |
| 315 | 225 | TRP315225G | 152 | 121 | 704 | 29,70 |
| 355 | 160 | TRP355160G | 176 | 100 | 687 | 38,10 |
| 355 | 200 | TRP355200G | 176 | 118 | 687 | 34,00 |
| 400 | 110 | TRP400110G | 190 | 88 | 750 | 45,20 |
| 400 | 160 | TRP400160G | 190 | 100 | 750 | 48,30 |
| 400 | 225 | TRP400225G | 190 | 125 | 750 | 46,20 |
| 450 | 160 | TRP450160G | 200 | 101 | 670 | 49,40 |
| 450 | 225 | TRP450225G | 200 | 125 | 795 | 62,80 |
| 450 | 315 | TRP450315G | 200 | 155 | 890 | 74,50 |
| 560 | 250 | TRP560250G | 240 | 135 | 965 | 125,00 |

| dn | dn1 | code | H [mm] | H1 [mm] | Z [mm] | Weight [kg] |
|-----|-----|------------|--------|---------|--------|-------------|
| 110 | 63 | TRP110063H | 91 | 71 | 338 | 1,90 |
| 110 | 90 | TRP110090H | 91 | 83 | 338 | 1,85 |
| 125 | 63 | TRP125063H | 91 | 71 | 359 | 2,50 |
| 125 | 90 | TRP125090H | 91 | 83 | 359 | 2,70 |
| 140 | 63 | TRP140063H | 97 | 73 | 390 | 3,75 |
| 160 | 110 | TRP160110H | 105 | 91 | 425 | 5,10 |
| 200 | 110 | TRP200110H | 118 | 91 | 503 | 8,25 |
| 225 | 110 | TRP225110H | 121 | 89 | 540 | 13,30 |
| 225 | 160 | TRP225160H | 121 | 105 | 540 | 12,05 |
| 250 | 110 | TRP250110H | 132 | 92 | 596 | 14,90 |
| 250 | 160 | TRP250160H | 132 | 105 | 596 | 18,40 |
| 250 | 200 | TRP250200H | 132 | 117 | 596 | 16,25 |
| 280 | 110 | TRP280110H | 142 | 91 | 685 | 24,90 |
| 280 | 225 | TRP280225H | 142 | 120 | 683 | 27,10 |
| 315 | 110 | TRP315110H | 152 | 91 | 704 | 34,10 |
| 315 | 160 | TRP315160H | 152 | 105 | 704 | 34,80 |
| 315 | 200 | TRP315200H | 152 | 120 | 704 | 36,80 |
| 315 | 225 | TRP315225H | 152 | 121 | 704 | 55,80 |
| 355 | 160 | TRP355160H | 176 | 121 | 687 | 40,20 |
| 355 | 200 | TRP355200H | 176 | 118 | 687 | 34,60 |
| 400 | 110 | TRP400110H | 190 | 88 | 750 | 47,60 |
| 400 | 160 | TRP400160H | 190 | 100 | 750 | 52,60 |
| 400 | 225 | TRP400225H | 190 | 125 | 750 | 55,00 |
| 450 | 160 | TRP450160H | 200 | 101 | 670 | 59,30 |
| 450 | 225 | TRP450225H | 200 | 125 | 795 | 74,40 |
| 450 | 315 | TRP450315H | 200 | 155 | 890 | 89,40 |
| 560 | 250 | TRP560250H | 240 | 135 | 965 | 162,00 |

Injection moulded
Inyectados
Injectés
Formgespritzt